

Notice of Allowability

Application No.

09/823,215

Examiner

Emmanuel Coffy

Applicant(s)

GOLDSTEIN, JUDITH A.

Art Unit

2157

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 11 April 2006.
2. ☒ The allowed claim(s) is/are 1,3,4,7-13,15-22,25,26 and 28.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

ARIO/ETIENNE

**SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100**

Response to Amendment

1. This action is responsive to the application filed on April 11, 2006. Claims 1, 12, 18 and 26 were amended. Claims 2, 5, 6, 14, 19, 23-24, 27 and 29-30 are canceled. Claims 1-30 are directed to a Method and Apparatus for Intersystem Cut/Copy and Paste.”

2. Pursuant to 37 C.F.R. 1.109 and MPEP 1302.14, the following is an Examiner’s Statement of Reasons for Allowance:

The prior art of record fails to teach or suggest individually or in combination the claimed limitations of a “a switch-box, wherein the switch-box comprises a control, the control to copy information to a network cut-and-paste data-structure from a first computing system selected via the switch-box from two or more computing systems coupled with the switch-box as a result of the control recognizing a first dedicated predetermined event, wherein the first computing system comprises a standard cut-and-copy buffer, wherein the execution of the first dedicated predetermined event causes the information to be associated with a user-id and to be copied to the network cut-and-paste data-structure and not to the standard cut-and-copy buffer of the first computing system, wherein the information associated with the user-id is copied from the network cut-and-paste data-structure to a second computing system of the two or more computing systems as a result of the control recognizing the execution of the second dedicated predetermined event, wherein the network cut-and-paste data structure comprises an array including a user-id data-field and an information-field and wherein associating the user-id with the copied information comprises copying the user-id to a user-id data-field for a specific one array entry and copying the information to a corresponding information data-field for the specific one array entry.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Emmanuel Coffy whose telephone number is (571) 272-3997. The examiner can normally be reached on 8:30 - 5:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on (571) 272-4001. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Emmanuel Coffy
Patent Examiner
Art Unit 2157

***EC
June 13, 2006


— ARIO ETIENNE
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100